System and method for removing contaminant particles relative to an ion beam

Publication number: TW497159 (B)

Publication date: Inventor(s): 2002-08-01

BENVENISTE VICTOR MAURICE [US]; GRAF MICHAEL ANTHONY [CA]; HARRINGTON ERIC RYAN [US];

RATHMELL ROBERT DAY [US] +

Applicant(s): Classification: - international: AXCELIS TECH INC [US] +

H01J27/20; H01J37/02; H01J37/04; H01J37/30; H01J37/317; H01L21/265; H01J27/02; H01J37/02; H01J37/04; H01J37/30;


H01J37/317; H01L21/02; (IPC1-7): H01L21/265

- European: H01J37/02D; H01J37/30A; H01J37/317A

Application number: TW20010120483 20010821 Priority number(s): US20000654379 20000901

Abstract of TW 497159 (B)

A system for inhibiting the transport of contaminant particles with an ion beam (16) includes a particle charging system (12) for charging particles within a region through which the ion beam travels. An electric field (50) is generated downstream relative to the charged region so as to urge charged particles away from a direction of travel (18) for the ion beam (16).



Also published as:

WO0219376 (A2)

WO0219376 (A3) US6476399 (B1)

EP1314180 (A2)

more >>

] JP2004508666 (T)

Data supplied from the espacenet database — Worldwide

System and method for cleaning contaminated surfaces in an ion implanter

Publication number: TW452820 (B)

Publication date: 2001-09-01

Inventor(s):

BERNSTEIN JAMES DAVID [US]; KOPALIDIS PETER

Also published as:

🔁 EP1052676 (A2)

EP1052676 (A3)

🔁 EP1052676 (B1)

US6221169 (B1)

SG84593 (A1)

more >>

MILTIADIS [GR]; FREER BRIAN SCOTT [US] +

Applicant(s):

EATON CORP [US] +

Classification:

- international:

C23C14/00; H01J37/317; H01L21/265; C23C14/00;

H01J37/317; H01L21/02; (IPC1-7): H01J37/02; H01J37/317

- European: H01J37/317

Application number: TW20000107825 20000426 Priority number(s): US19990309096 19990510

Abstract of TW 452820 (B)

A method and system is provided for cleaning a contaminated surface of a vacuum chamber, comprising means for (i) generating an ion beam (44) having a reactive species (e.g., fluorine) component; (ii) directing the ion beam toward a contaminated surface (100); (iii) neutralizing the ion beam (44) by introducing, into the chamber proximate the contaminated surface, a neutralizing gas (70) (e.g., xenon) such that the ion beam (44) collides with molecules of the neutralizing gas, and, as a result of charge exchange reactions between the ion beam and the neutralizing gas molecules, creates a beam of energetic reactive neutral atoms of the reactive species; (iv) cleaning the surface (100) by allowing the beam of energetic reactive neutral atoms of the reactive species to react with contaminants to create reaction products; and (v) removing from the chamber any volatile reaction products that result. Alternatively, the method and system include means for (I) generating an energetic non-reactive (e.g. xenon) ion beam (44); (ii) directing the non-reactive ion beam toward a contaminated surface (100); (iii) introducing a cleaning gas (70) proximate the contaminated surface, comprised at least partially of a reactive species (e.g., fluorine) component; (iv) dissociating the cleaning gas using the ion beam (44) to create a supply of energetic reactive neutral atoms of the reactive species; (v) cleaning the surface (100) by allowing the energetic reactive neutral atoms of the reactive species to react with contaminants to create reaction products; and (vi) removing from the chamber any volatile reaction products that result.

Data supplied from the espacenet database — Worldwide

SEARCH REPORT FOR PATNT APPLICATION ROC (Taiwan) Patent Application No. 093138510

(Translation)

- 2. Priority Date: 12 December 2003
- 3. International Patent Classification: H01J37/317 (2006.01) , H01L21/265 (2006.01)
- 4. Scope of Search on International Patent Classification: H01J3702-H01J37/317 (2006.01), H01J27/00 (20006.01), H01L21/265 (2006.01), H01J7/24 (2006.01)
- 5. Name of Database Under Search (Keyword):

TIPO domestic and foreign patent database

Relevance Code	Cited Prior Art Reference(s) and Relevant Paragraph(s)	Claim(s) of Relevance
A	1. TW 452820 2001/09/01	1~45
	Full Text	
A	2. TW 497159 2002/08/01	1~45
	Full Text	
A	3. JP 2000-323051A 2000/11/24	1~45
	Full Text	
D,A	4. US 6288403B1 2001/09/11	1~45
	Full Text	
D,A	5. US 6452338B1 2002/09/17	1~45
	Full Text	
D,A	6. US 6686595B2 2004/02/03	1~45
	Full Text	

Explanation of Relevance Codes:

- X: particularly relevant prior art reference(s), if taken alone, that can negate the novelty or inventive step of the claimed invention
- particularly relevant prior art reference(s), if combined with one or more other documents, that can negate the inventive step of the claimed invention
- related to general state of art
- prior art reference(s) D: disclosed in the specification
 - that is filed earlier but is laid open or published later than the examined patent application
- A: prior art reference(s) O: prior art reference(s) related to publicly using or sale or display at a trade exhibition;
 - P: prior art reference(s) that has (have) been publicly disclosed during the time period between the priority date and the filing date of the examined patent application
 - prior art reference(s) L: prior art reference(s) that is (are) cited for other reason(s).

Date of Completion: 8 April 2010

第 093138510 號專利申請案檢索報告

1.申請日: 93年12月10日

2. 優先權日: 2003 年 12 月 12 日

3. 本案國際專利分類號(IPC): H01J37/317 (2006.01)• H01L21/265 (2006.01)

4. 檢索國際專利分類號(IPC)範圍;

H01J3702~H01J37/317 (2006.01), H01J27/00 (2006.01), H01L21/265 (2006.01), H01J7/24 (2006.01)

5. 檢索使用資料庫名稱(關鍵詞): TIPO 國內外專利資料庫

關聯性 代 碼	引用文獻資料與相關段落處	相關聯請求項	
A	1. TW 452820 2001/09/01 全文	1~45	
A	2. TW 497159 2002/08/01 全文	1~45	
A	3. JP 2000-323051A 2000/11/24 全文	1~45	
D,A	4. US 6288403B1 2001/09/11 全文	1~45	
D,A	5. US 6452338B1 2002/09/17 全文	1~45	
D,A	6. US 6686595B2 2004/02/03 全文	1~45	

顯聯性代碼說明:

X: 單獨引用即足以否定發明新額 性或進步性之特別相關的文獻。

A:一般技術水準之參考文獻。

0:公開使用、販賣或展覽陳刊之 文件。

Y:結合一處多篇其他文獻後足以 否定發明迄步性之特別相關的 文獻。

D: 說明書已記載之文獻。

P:申請日與優先權日間公開之文獻。

B:申請在前、公開/公告在後 之專利文獻。

L:其他理由引用之文獻·

完成日:99 年 4 月 8 日